

CASIO®


A large touch panel with flexible connectivity and stable system integrity permits easy operation and improves speed and efficiency for most businesses in the hospitality environment.



Smart Touch
QT-6600

PC Software

A software package featuring versatile PC communication and sales/programming data management tools is separately available to provide further support for your daily operations.



Standard Programming | Advanced Programming | Communication | Reports X/Z | Character


File	Report Name	Daily	Periodic 1	Periodic 2
011	Fix Totalizer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
012	Free Function	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
013	Sub Department	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
014	PLU	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
015	Department	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
016	Group	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
017	Clerk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
019	Hourly Sales	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
020	Monthly Sales	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
022	Void Reason	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
024	Hourly Labour	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
026	Table Analysis	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
029	Employee	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
031	Hourly Item	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
047	Customer	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
052	Customer group	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
064	PLU Stock	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
058	Electronic journal	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sales information analysis

A variety of sales information, including Fixed Totalizer, Free Function, PLU, Clerk, Hourly and Monthly sales report data, can be collected and analyzed to optimize your store management.

Itemized sales analysis

PLU sales data for individual merchandise items can be displayed on a PC screen and printed out to give the manager a full understanding of day-to-day sales trends.



Clerk Report

Branch	Period	Period 1	Period 2
Branch	Period	Period 1	Period 2
Branch	Period	Period 1	Period 2
Branch	Period	Period 1	Period 2
Branch	Period	Period 1	Period 2

Clerk operation / Manager sales analysis

Managers can analyze clerk reports on sales activities by individual staff to obtain a clear understanding of each clerk's contribution to the store operation.

Various reports supporting business trend analysis for improving store management



Search Data

Branch	Customer name	Search name
PLU name	PLU code	PLU code
Branch address	Telephone number	For number
Post code		
Additional information	U / Y / N	IP Address
	Serial No.	PLU Address
	PLU	PLU Address

OK Cancel


Choice of PC communication methods

RS232c (direct connection with PC/modem)

TCP/IP (direct connection with PC)

FTP (LAN connection with PC)

Suitable for chain store businesses, which can connect a QT-6600 in each store with headquarters by Internet for remote maintenance.



PLU Programming

Code	Name
00001	GREEN SALAD
Department	DEPT01
Group	GROUP01
Order Character	Not Assigned
Tax Status	Taxable 1
Sub Department	Not Assigned
Pull Down 1	Not Assigned
Pull Down 2	Not Assigned
Pull Down 3	Not Assigned
Pull Down 4	Not Assigned

User-friendly programming tools

Store owners/managers can easily set up displays of PLU unit prices, character names and other data on the graphic screen.

Receipt message programming is also available for store advertising.

Other convenient PC software features

Ability to store and manage sales and programming data separately for individual branch outlets.

Ability to import PLU/S-PLU text files to PC software for easy PLU setup.

Ability to collect sales data reports from the QT-6600 in CSV format and analyze sales trends on a PC.

QT-6100



Compact, space-saving Smart Touch solution

The compact QT-6100 is designed for small retail outlets in the hospitality market, such as coffee shops, bakeries and independent restaurants that require quick, accurate operation. It features a 12.1-inch colour LCD touch panel with a bright backlight enclosed in a robust case with a small footprint that fits perfectly into virtually any store.

Specifications

	QT-6600	QT-6100
Display	15-inch colour LCD with touch-panel control	12.1-inch colour LCD with touch-panel control
Environment	Operating temperature 0 ~ 40°C Operating humidity 20 ~ 85% RH	Operating temperature 0 ~ 40°C Operating humidity 20 ~ 85% RH
Dimensions	362 x 354 x 368 mm	343 x 297 x 311 mm
Weight	Approx 8.3 kg (including stand)	Approx 5kg (including stand)
Power consumption	AC 120-240V +/-10%/Max. 1.5A	AC 120-240V +/-10%/Max. 1.1A
Communication port	Ethernet (10/100 Base-T/Tx) x 1 RS232c x 6	Ethernet (10/100 Base-T/Tx) x 1 RS232c x 3
Memory card slots	CF x 1	CF x 1
Drawer ports	2	2
Sound record/playback	Yes	No

Options

	QT-6600	QT-6100
Remote display	QT-6060D/Cable QT-6061CB/Cable QT-6062CB (5m)	QT-6060D/Cable QT-6061CB/Cable QT-6062CB (5m)
Magnetic card reader	QT-6046MCR	QT-6046MCR
Dallas key	QT-6011DLS	QT-6011DLS
Slip printer	SP-1300 / Cable PRL-CB-8C (1.5m)	SP-1300 / Cable PRL-CB-8C (1.5m)
RS-232C printer	UP-360 / Cable PRT-CB-8A (3m) / CablePRT-CB-8B (5m)	UP-360 / Cable PRT-CB-8A (3m) / CablePRT-CB-8B (5m)
LAN printer	UP-400	—
PC cable	PRT-CB-2	PRT-CB-2
Drawer	M and L sizes available	M and L sizes available
Drawer extension cable	MDL-11	MDL-11
Drawer cable	—	QT-6031CB(3m)

<http://world.casio.com>

Note: Specifications and design are subject to change without notice.



CASIO
CASIO COMPUTER CO., LTD.
Tokyo, Japan


Stylish Smart Touch



With 70 items on a single screen and multiple menu shifts available, simple operation is assured. Every item can be linked to a graphic image for further enhanced ease of use.

Easy to use

- The wide, bright 15-inch colour TFT LCD touch panel assures easy, accurate operation. The touch screen offers clear categorization for item registration, numeric entry and entry confirmation.
- A built-in 2 x 20 character rear display makes it easy for customers to monitor sales transactions, and either an emerald green or white backlight colour can be selected to suit the operating environment.
- The QT-6600 supports Ethernet/RS232c communication with remote UP-400 printers for flexible network configuration on your business premises.
- The display can be tilted throughout the range from 20 to 70 degrees, enabling it to adjust to virtually any operating environment.




System Configuration

Restaurants

The system permits shared table control by multiple terminals, with master configuration and master backup providing system security in the event of terminal failure.

A shared remote printing function supports printers connected by Ethernet, and a backup function switches the print job to an appropriate alternate printer if the selected printer fails to print. RS232c connection is also available.

Three screens with full-screen layouts give every staff direct access to the appropriate menu screen. When service staff sign on, the table layout in their work area appears automatically on the screen. This feature eliminates problems that can arise if staff access the wrong menu, improving your restaurant's customer service.



Touch the future with Smart Touch!

Flexibility and high performance

Connectivity

- Six RS232c ports support flexible, varied configurations of peripherals such as printers, scanners, scales and PCs.
- 1 x Ethernet with a speed of 10/100 Base T/TX ensures smooth in-house communication with other equipment, and the ability to use a popular CAT5 cable makes wiring easy as well.
- 2 x drawer ports are standard equipment.
- An optionally available QT-6060D remote customer display offers a selection of from one to three backlight colours.
- Operator recognition is achieved by secret code, optional Dallas key or optional MCR.
- Connection of an optionally (locally sourced) order-entry terminal for order taking and receipt issuing is also possible.
- Bar-code scanning handles registration of bar-coded items basic to the hospitality environment.
- The system also supports configuration of additional (locally sourced) options such as a PS2 keyboard and scale.



Security

- Operation resumes quickly after power failures or other such interruptions.
- An intuitive screen layout reduces training time for new employees.
- A master and master backup system keeps your business in operation.

Specialty food stores, delicatessens

Quick, easy touch-panel operation assures user satisfaction by minimizing registration time, even during busy hours.

Bar-code reading of EAN/UPC-type bar-coded items improves the registration process for sales transactions in the hospitality environment. And a customer file function improves customer service further by maintaining records of purchases charged to the accounts of regular customers.



Fast-food restaurants, bakeries, cafés, pizza parlors, etc.

A graphic screen and prompting registration sequences facilitate easy operation, even by new staff with minimal training.

Quick registration is supported by shared clerk interrupt and shared printing functions.

A remote display makes it easy for customers to monitor sales transactions.

An FTP function permits remote site access and branch control in either the client or server mode.

